PHYTOCHEMISTRY

CHEMISTRY BIOCHEMISTRY MOLECULAR BIOLOGY

Regional Editors

UK, Africa, The Commonwealth & Rest of the World
G. P. BOLWELL

The Americas & East Asia
N. G. LEWIS

Continental Europe & Russia
D. STRACK

Volume 50 Contents, Author Index and
Subject Index 1999

PERGAMON

PHYTOCHEMISTRY

Chemistry Biochemistry Molecular Biology

Regional Editor for: U.K., Africa, The Commonwealth & Rest of the World

G. P. BOLWELL: School of Biological Sciences, Royal Holloway, University of London, Egham, Surrey TW20 0EX, U.K.

Regional Editor for: The Americas & East Asia

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Regional Editor for: Continental Europe & Russia

D. STRACK: Institut für Pflanzenbiochemie, Abt. Sekundarstoffwechsel, Weinberg 3, D-06120 Halle (Saale), Germany.

Honorary Editor: J. B. HARBORNE F.R.S.

EDITORIAL BOARD—1999

Y. Asakawa:	Tokushima, Japan.	K. Hostettmann:	Dorigny-Lausanne, Switzerland.
E. A. Bell:	London, U.K.	T. J. Mabry:	Austin, U.S.A.
E. E. Conn:	Davis, U.S.A.	B. V. Milborrow:	Kensington, Australia.
G. Cordell:	Chicago, U.S.A.	T. Okuda:	Okayama City, Japan.
R. Croteau:	Pullman, U.S.A.	J. D. Phillipson:	London, U.K.
V. De Luca:	Montreal, Canada	J. E. Poulton:	Iowa City, U.S.A.
N. H. Fischer:	Baton Rouge, U.S.A.	U. Sankawa:	Toyama, Japan.
L. Fowden:	Harpenden, U.K.	G. H. N. Towers:	Vancouver, B.C., Canada.
O. R. Gottlieb:	São Paulo, Brazil.	H. Wagner:	München, Germany.
J. L. Harwood:	Cardiff, U.K.	P. G. Waterman:	Lismore, Australia
W. Herz:	Tallahassee, U.S.A.	M. H. Zenk:	München, Germany.

All manuscripts and contributions should be submitted to either G. P. BOLWELL at Surrey, N. G. LEWIS at Pullman or D. STRACK at Halle. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 44, No. 1 (copies of these instructions are available from the internet) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcome, but intending Authors should send an outline to the Regional Editor before preparing their manuscripts. Books for review should be sent to G. P. BOLWELL.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Subscription Information: Published semi-monthly, two issues per month, January to December (three volumes 1999).

Annual Institutional Subscription Rates 1999: Europe, The CIS and Japan 5851.00 Dutch Guilders. All other countries US$2970.00. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Any enquiry relating to subscriptions should be sent to: **The Americas:** Elsevier Science, Customer Support Department, P.O. Box 945, New York, NY, 10010, U.S.A. [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com]. **Japan:** Elsevier Science K. K., Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan [Tel: (+3) 5561-5033. Fax: (+3) 5561-5047. E-mail: info@elsevier.co.jp]. **Asia Pacific (*excluding Japan*)**: Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millennia Tower, Singapore 039192. [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg]. **Rest of the World:** Elsevier Science, Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands. [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl]. *Microform back issues*: back issues of all previously published volumes in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact the Author Service Department at Elsevier Science Ltd. E-mail: authors@elsevier.co.uk; Fax: +44 (0) 1865 843905; Tel.: +44 (0) 1865 843900.

© 1999 Elsevier Science Ltd

PERIODICALS POSTAGE PAID AT RAHWAY, NJ. *Phytochemistry* **(ISSN 0031-9422)** is published **semi-monthly, two issues per month, January to December in three volumes**, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB U.K. The annual subscription in the U.S.A. is **$2970**. **Distributed** by Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001, U.S.A. **Postmaster:** please send address corrections to *Phytochemistry*, Elsevier Science, Customer Support Department, PO Box 845, New York, NY 10159-0945, U.S.A.

CONTENTS OF VOLUME 50

Number 1

Announcements xi

Graphical Abstracts xiii

Review Article Number 136

Public perception of science and associated general issues for the scientist 1 D. BOULTER

Growth and Metabolism

The effect of amino acid modifying reagents on the activity of a (1→3)-β-glucan synthase from Italian ryegrass (*Lolium multiflorum*) endosperm 9 V. BULONE, B.-T. LAM and B. A. STONE

Accumulation of hydroxamic acids during wheat germination 17 S. V. COPAJA, D. NICOL and S. D. WRATTEN

The microbiological hydroxylation of 4β-hydroxy-4α-methyl-5α-androstanes by *Cephalosporium aphidicola* 25 C. S. BENSASSON, Y. CHEVOLOT, J. R. HANSON and J. QUINTON

Ecological Biochemistry

A simple solid injection device for the analyses of *Bulbophyllum* (orchidaceae) volatiles 31 U. F. DA SILVA, E. L. BORBA, J. SEMIR and A. J. MARSAIOLI

Bioactive phenolics and polar compounds from *Melilotus messanensis* 35 F. A. MACÍAS, A. M. SIMONET, J. C. G. GALINDO and D. CASTELLANO

Biosynthesis

Modulation of phosphatidylcholine biosynthesis in celery by exogenous fatty acids 47 E. T. PARKIN and C. E. ROLPH

Cell Culture and Biotechnology

Elicitation of tropane alkaloid biosynthesis in transformed root cultures of *Datura stramonium* 53 I. ZABETAKIS, R. EDWARDS and D. O'HAGAN

Bioactive Plant Products

Neutral polysaccharide from *Cedrela tubiflora* with anti-complementary activity 57 F. BENENCIA, M. C. RODRIGUEZ, M. C. MATULEWICZ and F. C. COULOMBIÉ

Cytotoxic polyisoprenes and glycosides of long-chain fatty alcohols from *Dimocarpus fumatus* 63 L. VOUTQUENNE, C. LAVAUD, G. MASSIOT, T. SEVENET and H. A. HADI

Bioactive phenolic glycosides from *Amburana cearensis* 71 J. A. BRAVO B, M. SAUVAIN, A. GIMENEZ T, V. MUÑOZ O, J. CALLAPA, L. LE MEN-OLIVIER, G. MASSIOT and C. LAVAUD

Leishmanicidal alkaloids from *Kopsia griffithii* 75 T.-S. KAM, K.-M. SIM, T. KOYANO and K. KOMIYAMA

Plant Chemistry

Structural features of a heteroxylan from *Sophora subprostrata* roots 81 Q. DONG, S.-W. DING, X. YANG and J.-N. FANG

A high molecular weight complex lipid, aliphatic polyaldehyde tetraterpenediol polyacetal from *Botryococcus braunii* (L race) 85 O. BERTHEAS, P. METZGER and C. LARGEAU

Brominated fatty acids from lichen *Acorospora gobiensis* 97 T. ŘEZANKA and V. DEMBITSKY

Iridoid glycosides from *Scrophularia ningpoensis* 101 Y.-M. LI, S.-H. JIANG, W.-Y. GAO and D.-Y. ZHU

A hydroxy-β-caryophyllene from *Pterocaulon serrulatum* 105 J. K. MACLEOD and H. B. RASMUSSEN

Sesquiterpene coumarins and sesquiterpenes from *Ferula sinaica* 109 A. A. AHMED

A sesquiterpene lactone glucoside from *Ixeris denticulata* f. pinnatipartita 113 J.-Y. MA, Z.-T. WANG, L.-S. XU and G.-J. XU

Isolation and synthesis of a clerodane from *Echinodorus grandiflorus* 117 M. COSTA, C. M. A. TANAKA, P. M. IMANMURA and A. J. MARSAIOLI

Glabcensin V–Y, four *ent*-kaurane diterpenoids from *Isodon angustifolius* var. *Glabrescens* 123 Q.-S. ZHAO, Z.-W. LIN, B. JIANG, J. WANG and H.-D. SUN

Abeo-taxanes from *Taxus mairei* 127 S.-J. YANG, J.-M. FANG and Y.-S. CHENG

A brevifoliol analogue from the Himalyan yew *Taxus wallichiana* 131 S. K. Chattopadhyay, V. Tripathi, R. P. Sharma, A. S. Shawl, B. S. Joshi and R. Roy

A triterpenoid saponin from *Cucumaria frondosa* 135 N. Yayli and J. A. Findlay

Saikosaponins from roots of *Bupleurum scorzonerifolium* 139 T. Li, Z. Yuying, T. Guangzhong, W. Bin, C. Shaoqing and Z. Ruyi

6,8′-Bisdioquinone from *Diospyros mafiensis* 143 R. M. Khan and E. Rwekika

A lignan from *Daphne oleoides* 147 N. Ullah, S. Ahmad, E. Anis, P. Mohammad, H. Rabnawaz and A. Malik

A new gallic acid fructose ester from *Saxifraga stellaris* 151 I. Chevalley, A. Marston and K. Hostettmann

HPLC-NMR analysis of phenylphenalenones and a stilbene from *Anigozanthos flavidus* 155 D. Hölscher and B. Schneider

Phenylbutenoids from the rhizomes of *Alpinia flabellata* 163 T. Masuda, T. Andoh, S. Yonemori and Y. Takeda

A new flavonol glycoside from *Catharanthus roseus* 167 G. Brun, M.-G. Dijoux, B. David and A.-M. Mariotte

17-α-Hydroxy-$\Delta^{14,15}$-kopsinine and a bisindole alkaloid from *Kopsia teoi* 171 T.-S. Kam, T.-M. Lim, G. Subramaniam, Y.-M. Tee and K. Yoganathan

Bisquinolinone alkaloids from *Melicope ptelefolia* 177 C. Kamperdick, N. H. Van, T. V. Sung and G. Adam

Alkaloids from *Narcissus bujei* (Amaryllidaceae) 183 J. Labraña, G. Choy, X. Solans, M. Font-Bardia, G. de la Fuente, F. Viladomat, C. Codina and J. Bastida

Lupin alkaloids from seeds of *Sophora viciifolia* 189 P. Xiao, H. Kubo, H. Komiya, K. Higashiyama, Y.-N. Yan, J.-S. Li and S. Ohmiya

Addendum I

Number 2

Announcement vii

Graphical Abstracts ix

Review Article Number 137

The metabolites of dietary chlorophylls 195 L. Ma and D. Dolphin

Growth and Metabolism

NADPH and ferredoxin: $NADP^+$ oxidoreductase-dependent reduction of quinones and their reoxidation 203 M. Bojko and S. Wieckowski

Expression of barley ADP-glucose pyrophosphorylase in *Escherichia coli*: processing and regulatory considerations 209 C. Luo and L. A. Kleczkowski

The entire metabolite spectrum of the green alga *Scenedesmus obliquus* in isotope-labelled form 215 H. Patzelt, B. Kessler, H. Oschkinat and D. Oesterhelt

HPLC–ESI–MS/MS analysis of sulfated flavor compounds in plants 219 B. Boss, E. Richling, M. Herderich and P. Schreier

Ecological Biochemistry

Phytogrowth-inhibitory activities of a clerodane from *Viguiera tucumanensis* 227 C. E. Vaccarini, S. M. Palacios, K. M. Meragelman and V. E. Sosa

Elicited cell suspension cultures of apple (*Malusdomestica*) cv. Liberty produce biphenyl phytoalexins 231 W. Borejsza-Wysocki, C. Lester, A. B. Attygalle and G. Hrazdina

Biosynthesis

Biosynthesis of oat avenanthramide phytoalexins 237 A. Ishihara, Y. Ohtsu and H. Iwamura

Cytochrome P-450 dependent (+)-limonene-6-hydroxylation in fruits of caraway (*Carum carvi*) 243 H. J. Bouwmeester, M. C. J. M. Konings, J. Gershenzon, F. Karp and R. Croteau

Inhibition of juvenile hormone biosynthesis in *Gryllus bimaculatus* by *Glycosmis pentaphylla* leaf compounds 249 J. MUTHUKRISHNAN, K. SEIFERT, K. H. HOFFMANN and M. W. LORENZ

Cell Culture and Biotechnology

Biochemical evidence for multiple acetoin-forming enzymes in cultured plant cells 255 G. FORLANI, M. MANTELLI and E. NIELSEN

Chemotaxonomy

Fungal depside, guisinol, from a marine derived strain of *Emericella unguis* 263 J. NIELSEN, P. H. NIELSEN and J. C. FRISVAD

Flavonoid sulfates from the Convolvulaceae 267 P. MANN, B. TOFERN, M. KALOGA and E. EICH

Bioactive Plant Products

Flavanones from *Baeckea frutescens* 273 M. MAKINO and Y. FUJIMOTO

A 7,8-dihydro-8-hydroxypalmatine from *Enantia chlorantha* 279 P. WAFO, B. NYASSE and C. FONTAINE

Plant Chemistry

Unusual 6′-fatty acid esters of (24*S*)-24-ethylcholesta-5,25-dien-3β-yl β-D-glucopyranoside from *Teucrium fruticans* 283 G. FONTANA, G. SAVONA, B. RODRÍGUEZ and M. C. DE LA TORRE

Highly oxygenated guaianolides from *Anthemis cretica* subsp. *cretica* 287 V. VAJS, V. BULATOVIC, K. FODULOVIC-SAVIKIN, N. MENKOVIC, S. MACURA, N. JURANIC and S. MILOSAVLJEVIC

A taraxasterol derivative and phenolic compounds from *Hieracium gymnocephalum* 293 S. D. PETROVIĆ, M. S. GORUNOVIĆ, V. WRAY and I. MERFORT

Caffeic acid esters of phenylethanoid glycosides from *Fraxinus ornus* bark 297 T. IOSSIFOVA, B. VOGLER, I. KLAIBER, I. KOSTOVA and W. KRAUS

Chromone *C*-glycosides from *Baeckea frutescens* 303 T. SATAKE, K. KAMIYA, Y. SAIKI, T. HAMA, Y. FUJIMOTO, H. ENDANG and M. UMAR

Macrocyclic ellagitannin dimers, cuphiins D_1 and D_2, and accompanying tannins from *Cuphea hyssopifolia* 307 L.-G. CHEN, K.-Y. YEN, L.-L. YANG, T. HATANO, T. OKUDA and T. YOSHIDA

Purification of leghemoglobin from nodules of *Crotalaria* infected with *Rhizobium* 313 E. H. M. MENDONÇA, P. MAZZAFERA and M. A. SCHIAVINATO

15-Hydroxyeremantholide B and derivatives from *Eremanthus arboreus* 317 W. VICHNEWSKI, C. A. SKROCHY, A. M. T. T. NASI, J. L. C. LOPES and W. HERZ

Proanthocyanidins from *Prunus armeniaca* roots 321 M. S. M. RAWAT, D. PRASAD, R. K. JOSHI and G. PANT

Further anthocyanins from flowers of *Crocus antalyensis* (Iridaceae) 325 R. NØRBAEK and T. KONDO

Flavonol glycosides from *Eschscholtzia californica* 329 M.-A. BECK and H. HÄBERLEIN

Alkaloids of *Bongardia chrysogonum* 333 ATTA-UR-RAHMAN, D. SHAHWAR, M. I. CHOUDHARY, B. SENER, G. TOKER and K. H. C. BAŞER

A complex of 5-hydroxypyrrolidin-2-one and pyrimidine-2,4-dione isolated from *Jatropha curcas* 337 R. STAUBMANN, M. SCHUBERT-ZSILAVECZ, A. HIERMANN and T. KARTNIG

Five alkaloids from *Hypecoum leptocarpum* 339 Y. ZHOU, G. ZHANG and B. LI

Diterpenoid alkaloids from aconitum episcopale 345 J.-H. YANG, Z.-Y. LI, L. LI and Y.-S. WANG

Book Reviews

Rothschild's Reserves: Time and Fragile Nature 349 J. B. HARBORNE

Mechanisms of Environmental Stress Resistance in Plants 349 J. B. HARBORNE

Virtual Activity, Real Pharmacology – Different Approaches to the Search for Bioactive Natural Compounds 350 J. B. HARBORNE

Phytochemical Methods: A Guide to Modern Techniques of Plant Analysis 350 N. C. VEITCH

Induced Responses to Herbivory 351 J. B. HARBORNE

Number 3

Graphical Abstracts vii

Growth and Metabolism

Structure–activity relations of substituted, deleted or stereospecifically altered jasmonic acid in gene expression of barley leaves 353 O. Miersch, R. Kramell, B. Parthier and C. Wasternack

Purification in high yield and characterisation of a new galactose-specific lectin from the seeds of *Trichosanthes cucumerina* 363 P. Padma, S. S. Komath, S. K. Nadimpalli and M. J. Swamy

Involvement of calcium in ACC-oxidase activity from *Cicer arietinum* seed embryonic axes 373 M. Gallardo, M. del C. Gómez-Jiménez and A. Matilla

Senescence-related serine protease in parsley 377 W. B. Jiang, A. Lers, E. Lomaniec and N. Aharoni

Nitrogen compounds in the xylem sap of coffee 383 P. Mazzafera and K. V. Gonçalves

Stereostructure, conformation and reactivity of β- and α-gardiol from *Burchellia bubalina* 387 S. E. Drewes, M. M. Horn, O. Q. Munro, N. Ramesar, M. Ochse, G. Bringmann, K. Peters and E.-M. Peters

Cold alkali can extract phenolic acids that are ether linked to cell wall components in dicotyledonous plants (buckwheat, soybean and flax) 395 V. V. Lozovaya, T. A. Gorshkova, E. V. Yablokova, N. I. Rumyantseva, A. Valieva, A. Ulanov and J. M. Widholm

Ecological Biochemistry

Gynandropsis gynandra essential oil and its constituents as tick (*Rhipicephalus appendiculatus*) repellents 401 W. Lwande, A. J. Ndakala, A. Hassanali, L. Moreka, E. Nyandat, M. Ndungu, H. Amiani, P. M. Gitu, M. M. Malonza and D. K. Punyua

Chemical, physical and antimicrobial properties of essential oils of *Leptospermum scoparium* and *Kunzea ericoides* 407 N. G. Porter and A. L. Wilkins

Cell Culture and Biotechnology

Transformation of loganin and 7-deoxyloganin into secologanin by *Lonicera japonica* cell suspension cultures 417 H. Yamamoto, N. Katano, A. Ooi and K. Inoue

Bioactive Plant Products

11-Oxygenated cytotoxic 8,9-secokauranes from a New Zealand liverwort, *Lepidolaena taylorii* 423 N. B. Perry, E. J. Burgess, S.-H. Baek, R. T. Weavers, W. Geis and A. B. Mauger

Bio-active cardenolides from the leaves of *Nerium oleander* 435 S. Begum, B. S. Siddiqui, R. Sultana, A. Zia and A. Suria

5-Hydroxylapachol: a cytotoxic agent from *Tectona grandis* 439 R. M. Khan and S. M. Mlungwana

Plant Chemistry

A bis-labdenic diterpene from *Moldenhawera nutans* 443 J. P. David, J. M. David, S.-W. Yang and G. A. Cordell

Labdane diterpenoids from *Croton oblongifolius* 449 S. Roengsumran, A. Petsom, D. Sommit and T. Vilaivan

Rearranged (4→2)-*abeo*-clerodane and clerodane diterpenes from *Aristolochia chamissonis* 455 M. D. Bomm, J. Zukerman-Schpector and L. M. X. Lopes

Triterpenes from *Rubus cochinchinensis* 463 T. P. Lien, C. Kamperdick, T. V. Sung and G. Adam

Structure elucidation of two triterpenoids from *Ficus fistulosa* 467 N. v. Tuyen, D. S. H. L. Kim, H. S. Fong, D. D. Soejarto, T.-C. Khanh, M. V. Tri and L. T. Xuan

Triterpenoid and xanthone constituents of *Cratoxylum cochinchinense* 471 L. H. D. Nguyen and L. J. Harrison

Triterpene saponins from *Glinus lotoides* var. *dictamonoides* 477 A. I. Hamed and N. A. El-Emary

Steroidal saponins from *Asparagus dumosus* 481 V. U. Ahmad, S. M. Khaliq-uz-Zaman, S. Shameel, S. Perveen and Z. Ali

Bisdesmosidic pregnane glycosides from *Caralluma lasiantha* 485 S.-X. Qiu, G. A. Cordell, B. R. Kumar, Y. N. Rao, M. Ramesh, C. Kokate and A. V. N. A. Rao

Rearranged abietane-type diterpenes from *Salvia dichroantha* 493 K. Kawazoe, M. Yamamoto, Y. Takaishi, G. Honda, T. Fujita, E. Sezik and E. Yesilada

Neolignans from *Piper aequale* 499 A. Maxwell, D. Dabideen, W. F. Reynolds and S. McLean

Flavonoids from *Stellera chamaejasme* 505 C. Jin, R. G. Michetich and M. Daneshtalab

Limonoids and alkaloids of the root bark of *Dictamus angustifolius* 509 T.-S. Wu, C.-Y. Li, Y.-L. Leu and C.-Q. Hu

Diterpenoid alkaloids from *Delphinium crispulum* 513 A. Ulubelen, A. H. Meriçli, F. Meriçli, U. S. Kolak, R. Ilarslan and W. Voelter

Number 4

Graphical Abstracts ix

Growth and Metabolism

Jasmonates and related compounds from *Fusarium oxysporum* 517 O. Miersch, H. Bohlmann and C. Wasternack

Invertase activity associated with the walls of *Solanum tuberosum* tubers 525 M. I. Isla, M. A. Vattuone, R. M. Ordóñez and A. R. Sampietro

Vacuolar H^+-pyrophosphatase purified from pear fruit 535 Y. Suzuki, Y. Kanayama, K. Shiratake and S. Yamaki

Very-long-chain (C_{28}) highly unsaturated fatty acids in marine dinoflagellates 541 M. P. Mansour, J. K. Volkman, D. G. Holdsworth, A. E. Jackson and S. I. Blackburn

Polyamines and sterols in *Cichorium* heads 549 E. O. Krebsky, J. M. C. Geuns and M. De Proft

Agaritine from *Agaricus bisporus* is capable of preventing melanin formation 555 J. C. Espín, S. Jolivet, A. Overeem and H. J. Wichers

Free CoA as activator of 6-hydroxymellein synthase, a multifunctional polyketide biosynthetic enzyme in carrot 565 F. Kurosaki and M. Arisawa

Ecological Biochemistry

Leaf waxes of slow-growing alpine and fast-growing lowland *Poa* species: inherent differences and responses to UV-B radiation 571 J. J. Pilon, H. Lambers, W. Baas, M. Tosserams, J. Rozema and O. K. Atkin

Biosynthesis

γ-L-[^{3}H]-Glutaminyl-4-[^{14}C]hydroxybenzene (GHB): biosynthesis and metabolic fate after applying on *Agaricus bisporus* 581 S. Jolivet, G. Pellon, M. Gelhausen and N. Arpin

Biosynthesis of cyclic bis(bibenzyls) in *Marchatia polymorpha* 589 S. Friederich, U. H. Maier, B. Deus-Neumann, Y. Asakawa and M. H. Zenk

Chemotaxonomy

A serotaxonomic study of *Acacia* gum exudates 599 T. C. Baldwin, P. E. Quah and A. R. Menzies

Bioactive Plant Products

Comparative phytotoxicity of artemisinin and several sesquiterpene analogues 607 F. E. Dayan, A. Hernández, S. N. Allen, R. M. Moraes, J. A. Vroman, M. A. Avery and S. O. Duke

Plant Chemistry

Loasafolioside, a minor iridoid dimer from the leaves of *Loasa acerifolia* 615 A. A. Müller and M. Weigend

Iridoid glycosides and phenolic glycosides from *Homskioldia sanguinea* 619 E. Helfrich and H. Rimpler

Two proazulenes from *Achillea ceretanica* Sennen 629 S. Glasl, A. Presser, I. Werner, Ch. Wawrosch, U. Kastner, J. Jurenitsch, E. Haslinger and W. Kubelka

Bicyclic taxane diterpenoids from the needles of *Taxus mairei* 633 Q.-W. Shi, T. Oritani and T. Sugiyama

Quassinoids from the twigs and thorns of *Castela polyandra* 637 P. A. Grieco, J. Haddad, M. M. Piñeiro-Núñez and J. C. Huffman

Withanolides from *Physalis peruviana* 647 S. Ahmad, A. Malik, R. Yasmin, N. Ullah, W. Gul, P. M. Khan, H. R. Nawaz and N. Afza

Lignans from *Taiwania cryptomerioides* 653 W.-H. Lin, J.-M. Fang and Y.-S. Cheng

Isochroman lignin trimers from DFRC-degraded *Pinus taeda* 659 J. Peng, F. Lu and J. Ralph

Acalyphidins M_1, M_2 and D_1, ellagitannins from *Acalypha hispida* 667 Y. Amakura, M. Miyake, H. Ito, S. Murakaku, S. Araki, Y. Itoh, C.-F. Lu, L.-L. Yang, K.-Y. Yen, T. Okuda and T. Yoshida

Phenylpropanoid glycosides from *Stellera chamaejasme* 677 C. Jin, R. G. Micetich and M. Daneshtalab

C- and *O*-Glycosyl-α-hydroxydihydrochalcones from *Eysenhardtia polystachya* 681 L. Alvarez and G. Delgado

Phenolics from *Maytenus senegalensis* 689 G. Hussein, N. Nakamura, M. R. Meselhy and M. Hattori

Four isoflavanones from roots of *Sophora tetraptera* 695 Y. Shirataki, S. Matuoka, M. Komatsu, M. Ohyama, T. Tanaka and M. Iinuma

Number 5

Graphical Abstracts vii

Growth and Metabolism

Elicitin 172 from an isolate of *Phytophthora nicotianae* pathogenic to tomato 703 R. Capasso, G. Cristinzio, A. Evidente, C. Visca, P. Ferranti, F. Del Vecchio Blanco and A. Parente

Diferulate and lignin formation is related to biochemical differences of wall-bound peroxidases 711 L. F. Gonzalez, M. C. Rojas and F. J. Perez

Culture of pectin methylesterase and polyphenoloxidase in *Cuscuta campestris* 719 N. B. Nun and A. M. Mayer

Purification and characterization of UV-B induced phenylalanine ammonia-lyase from rice seedlings 729 A. D. Sarma and R. Sharma

Dalcochinin-8′-*O*-β-d-glucoside and its β-glucosidase enzyme from *Dalbergia cochinchinensis* 739 J. Svasti, C. Srisomsap, S. Techasakul and R. Surarit

Ecological Biochemistry

Sesquiterpenes from *Laurencia claviformis* 745 J. Rovirosa, H. Soto, M. Cueto, J. Dárias, J. Herrera and A. San-Martín

Structure–activity relationships of natural and synthetic *neo*-clerodane diterpenes from *Teucrium* against Colorado potato beetle larvae 749 J. López-Olguín, M. C. de la Torre, F. Ortego, P. Castañera and B. Rodríguez

Effect of apoplastic proteins on freezing tolerance in leaves 755 Ö. Atící and B. Nalbantoğlu

Biosynthesis

Purification and characterization of acetyl coenzyme A: 10-hydroxytaxane *O*-acetyltransferase from cell suspension cultures of *Taxus chinensis* 763 B. Menhard and M. H. Zenk

Cell Culture and Biotechnology

Effects of chloride ion on acutumine and dechloroacutumine production by *Menispermum dauricum* root culture 775 H. A. A. Babiker, Y. Sugimoto, T. Saisho and S. Inanaga

Coniferaldehyde derivatives from tissue culture of *Artemisia annua* and *Tanacetum parthenium* 781 L.-K. Sy and G. D. Brown

Chemotaxonomy

Molecular authentication of *Panax* species 787 F. Ngan, P. Shaw, P. But and J. Wang

Chemotaxonomic value of tocopherols in Brassicaceae 793 F. D. Goffman, W. Thies and L. Velasco

Japonenynes, halogenated C_{15} acetogenins from *Laurencia japonensis* 799 Y. Takahashi, M. Suzuki, T. Abe and M. Masuda

Bioactive Plant Products

Steroidal saponins from the aerial parts of *Dracaena draco* and their cytostatic activity on HL-60 cells 805 Y. Mimaki, M. Kuroda, A. Ide, A. Kameyama, A. Yokosuka and Y. Sashida

Two bioactive mono-tetrahydrofuran acetogenins, annoglacins A and B, from *Annona glabra* 815 X.-X. Liu, F. Q. Alali, E. Pilarinou and J. L. McLaughlin

Purpuracenin: a new cytotoxic adjacent bis-tetrahydrofuran annonaceous acetogenin from the seeds of *Annona purpurea* 823 D. CHÁVEZ and R. MATA

Phenolic aporphine-benzylisoquinoline alkaloids from *Thalictrum faberi* 829 L.-Z. LIN, S.-F. HU, M. CHU, T.-M. CHAN, H. CHAI, C. K. ANGERHOFER, J. M. PEZZUTO and G. A. CORDELL

Plant Chemistry

Clerodanes from *Onoseris alata* 835 E. E. SIGSTAD, M. DEL R. CUENCA, C. A. N. CATALÁN, T. E. GEDRIS and W. HERZ

A pentacyclic triterpene from *Daphne oleoides* 839 N. ULLAH, Z. AHMED, S. AHMED, P. MUHAMMAD and A. MALIK

Cephalotoside A: a tridesmosidic cycloartane type glycoside from *Astragalus cephalotes* var. *brevicalyx* 843 I. ÇALIS, H. YUSUFOGLU, O. ZERBE and O. STICHER

(20*R*,23*E*)-Eupha-8,23-diene-3β,25-diol from *Tripetalum cymosum* 849 Y.-W. LEONG and L. J. HARRISON

Megastigmane glycosides from seeds of *Trifolium alexandrinum* 859 K. M. MOHAMED, M. H. MOHAMED, K. OHTANI, R. KASAI and K. YAMASAKI

Furocoumarins of three species of the genus *Dorstenia* 863 S. ROJAS-LIMA, R. L. SANTILLAN, M.-A. DOMÍNGUEZ and A. GUTIÉRREZ

Phlorethols and fucophlorethols from the brown alga *Cystophora retroflexa* 869 B. SAILLER and K.-W. GLOMBITZA

Dibenzylbutane lignans from *Virola sebifera* leaves 883 J. C. MARTINEZ V., M. I. ALDANA J. and L. E. CUCA S.

Benzofuran glycosides from *Psoralea plicata* seeds 887 A. I. HAMED, I. V. SPRINGUEL and N. A. EL-EMARY

Dimeric phenanthrenes from the orchid *Bulbophyllum reptans* 891 P. L. MAJUMDER, S. PAL and S. MAJUMDER

Eicosenones and methylated flavonols from *Amomum koenigii* 899 H. DONG, Y.-L. GOU, S.-G. CAO, S.-X. CHEN, K.-Y. SIM, S.-H. GOH and R. M. KINI

Bishordeninyl terpene alkaloids from *Zanthoxylum avicennae* 903 T. T. THUY, A. PORZEL, H. RIPPERGER, T. VAN SUNG and G. ADAM

Norditerpene and diterpene alkaloids from *Consolida hohenackeri* 909 A. ULUBELEN, A. H. MERIÇLI, F. MERIÇLI, H. ÖZÇELIK, B. ŞENER, H. BECKER, J. ZAPP, I. CHOUDHARY and ATTA-UR-RAHMAN

Book Review

UV-B and Biosphere 913 C. B. JOHNSON

Number 6

Graphical Abstracts vii

Growth and Metabolism

Purification and analysis of a low density membrane fraction from developing seeds of *Brassica napus* 915 D. J. LACEY and M. J. HILLS

Customisation of AFLP analysis for cassava varietal identification 919 H.-L. WONG, H.-H. YEOH and S.-H. LIM

Cytochrome P450 monooxygenases of DIBOA biosynthesis: specificity and conservation among grasses 925 E. GLAWISCHNIG, S. GRÜN, M. FREY and A. GIERL

Role of wall peroxidases in oat growth inhibition by DIMBOA 931 L. F. GONZÁLEZ and M. C. ROJAS

Geranylgeranyl diphosphate synthase activity and taxane production in *Taxus baccata* cells 939 G. LASKARIS, C. F. DE JONG, M. JAZIRI, R. VAN DER HEIJDEN, G. THEODORIDIS and R. VERPOORTE

An HPLC method for the assay of starch synthase 947 R. VIOLA, P. NYVALL, J. FOSTER and L. SOMMERVILLE

Proteolytic activity in relation to seasonal cambial growth and xylogenesis in *Pinus banksiana* 953 I. ILIEV and R. SAVIDGE

Ecological Biochemistry

A novel elicitin necrotic site revealed by α-cinnamomin sequence and site-directed mutagenesis — 961 V. Perez, J.-C. Huet, M. O'Donohue, C. Nespoulous and J.-C. Pernollet

New sesquiterpene lactones from the Portuguese liverwort *Targionia lorbeeriana* — 967 M. Neves, R. Morais, S. Gafner, H. Stoeckli-Evans and K. Hostettmann

A piterpenoid with antifeedant activity from *Scutellaria rubicunda* — 973 M. Bruno, N. Vassallo and M. S. J. Simmonds

Insecticidal meliacarpins (C-*seco* limonoids) from *Melia azedarach* — 977 F. I. Bohnenstengel, V. Wray, L. Witte, R. P. Srivastava and P. Proksch

Synthesis and evaluation of 4-(3-methyl-2-butenoxy) isonitrosoëacetophenone, a radiation-induced stress metabolite in citrus — 983 I. A. Dubery, A. E. Louw and F. R. Van Heerden

Oximes from seeds of *Atalantia ceylanica* — 991 M. Bacher, G. Brader, O. Hofer and H. Greger

Biosynthesis

Identification of 10-desoxyiridal as an intermediate in the biosynthesis of iridals — 995 I. Ritzdorf, M. Bartels, B. Kerp, T. Kasel, S. Klonowski and F.-J. Marner

Pyrrolizidine alkaloids of the lycopsamine type: biosynthesis of trachelanthic acid — 1005 S. Weber, W. Eisenreich, A. Bacher and T. Hartmann

Cell Culture and Biotechnology

The first prenylated biaurone, licoagrone, from hairy root cultures of *Glycyrrhiza glabra* — 1015 Y. Asada, W. Li and T. Yoshikawa

Chemotaxonomy

Immunological and molecular comparison of polyphenol oxidase in Rosaceae fruit trees — 1021 M. Haruta, M. Murata, H. Kadokura and S. Homma

Sterol distribution in arbuscular mycorrhizal funghi — 1027 A. Grandmougin-Ferjani, Y. Dalpé, M.-A. Hartmann, F. Laruelle and M. Sancholle

Bioactive Plant Products

Asitrilobins A and B: cytotoxic mono-THF Annonaceous acetogenins from the seeds of *Asimina triloba* — 1033 M.-H. Woo, D.-H. Kim and J. L. McLaughlin

Biologically active anthracenones from roots of *Karwinskia parvifolia* — 1041 N. Waksman, G. Benavides-Cortez and V. Rivas-Galindo

Plant Chemistry

Cyclopeptides from the seeds of *Annona glabra* — 1047 C.-M. Li, N.-H. Tan, H.-L. Zheng, Q. Mu, X.-J. Hao, Y.-N. He and J. Zhou

Monoterpene-alcohols from a mushroom *Dictyophora indusiata* — 1053 D. Ishiyama, Y. Fukushi, M. Ohnishi-Kameyama, T. Nagata, H. Mori, T. Inakuma, Y. Ishiguro, J. Li and H. Kawagishi

Sesquiterpenes from *Leontopodium alpinum* — 1057 N. Comey, A. I. Grey, I. L. Hook, P. James and H. Sheridan

Guianolides from *Calycocorsus stipitatus* and *Crepis tingitana* — 1061 C. Zidorn, E. P. Ellmerer-Müller and H. Stuppner

Alkylated benzoquinone derivatives from *Maesa lanceolata* — 1063 J. S. Mossa, I. Muhammad, A. F. Ramadan, H. H. Mirza, F. S. El-Feraly and C. D. Hufford

Phenolic compounds from *Anomianthus dulcis* — 1069 A. Sinz, R. Matusch, F. Van Elsäcker, T. Santisuk, S. Chaichana and V. Reutrakul

Two polyisoprenylated benzophenones from the floral resins of three *Clusia* species — 1073 C. M. A. De Oliveira, A. L. M. Porto, V. Bittrich and A. J. Marsaioli

Acylated anthocyanins from petunia flowers — 1081 R. Slimestad, A. Aaberg and Ø. M. Andersen

Isoflavone glycosides from *Centrosema pubescens* — 1087 J. B. F. Tostes, A. J. R. Silva and J. P. Parente

Sesquiterpene alkaloids from *Tripterygium hypoglaucum* — 1091 W. Li, B. Li and Y. Chen

^{1}H NMR analysis of sporopollenin from *Typha angustifolia* — 1095 F. Ahlers, I. Thom, J. Lambert, R. Kuckuk and R. Wiermann

Number 7

Graphical Abstracts vii

Growth and Metabolism

Purification, partial amino acid sequence and structure of the product of raucaffricine-*O*-β-D-glucosidase from plant cell cultures of *Rauwolfia serpentina* 1099 H. WARZECHA, P. OBITZ and J. STÖCKIGT

α-D-Mannosidase from *Lycopersicon esculentum* 1111 G. SUVARNALATHA and T. N. PRABHA

Ecological Biochemistry

Effects of pyrazole compounds from melon on the melon aphid *Aphis gossypii* 1117 J.-Q. CHEN, Y. RAHBÉ and B. DELOBEL

Ecdysteroid antagonists (cucurbitacins) from *Physocarpus opulifolius* (rosaceae) 1123 S. D. SARKER, P. WHITING, V. ŠIK and L. DINAN

Umbelliferone, a phytoalexin associated with resistance of immature Marsh grapefruit to *Penicillium digitatum* 1129 U. AFEK, J. ORENSTEIN, S. CARMELI, V. RODOV and M. B. JOSEPH

Biosynthesis

Metabolism of gibberellins and *ent*-kaurenoids in mutants of *Gibberella fujikuroi* 1133 A. F. BARRERO, J. E. OLTRA, E. CABRERA, F. REYES and M. ÁLVAREZ

Biosynthesis of furanocoumarins: mevalonate-independent prenylation of umbelliferone in *Apium graveolens* (Apiaceae) 1141 V. STANJEK, J. PIEL and W. BOLAND

Cell Culture and Biotechnology

Microbial conversion of jasmonates-hydroxylations by *Aspergillus niger* 1147 O. MIERSCH, A. PORZEL and C. WASTERNACK

Chemotaxonomy

Germacranolide type sesquiterpene lactones from *Neurolaena macrocephala* 1153 C. M. PASSREITER, S. B. STOEBER, A. ORTEGA, E. MALDONADO and R. A. TOSCANO

Aromatic compounds from the liverwort *Plagiochila spinulosa* 1159 J. D. CONNOLLY, D. S. RYCROFT, D. L. SRIVASTAVA, W. J. COLE, P. IFEADIKE, S. F. KIMBU, J. SINGH, M. HUGHES, C. THOM, U. GERHARD, A. J. ORGAN, R. J. SMITH and L. J. HARRISON

Killarniensolide, methyl orsellinates and 9,10-dihydrophenanthrenes from the liverwort *Plagiochila killarniensis* from Scotland and the Azores 1167 D. S. RYCROFT, W. J. COLE, N. ASLAM, Y. M. LAMONT and R. GABRIEL

Chemotaxonomical investigation in the genus *Viburnum* 1175 A. LOBSTEIN, G. HANN-ARCHIPOFF, J. ENGLERT, J.-G. KUHRY and R. ANTON

Anthocyanins from flowers of *Lilium* (Liliaceae) 1181 R. NØRBAEK and T. KONDO

Delphinidin 3′-galloylgalactosides from blue flowers of *Nymphaéa caerulea* 1185 T. FOSSEN and Ø. M. ANDERSEN

Free flavonoid aglycones as markers of parentage in *Mentha aquatica, M. citrata, M. spicata* and *M. piperita* 1189 B. VOIRIN, C. BAYET, O. FAURE and F. JULLIEN

Bioactive Plant Products

Diterpenes from the berries of *Juniperus excelsa* 1195 G. TOPÇU, R. ERENLER, O. ÇAKMAK, C. B. JOHANSSON, C. ÇELIK, H.-B. CHAI and J. M. PEZZUTO

Plant Chemistry

X-ray single-crystal structure of 2(*S*), 4(*R*)-4-hydroxyarginine from *Lens culinaris* seeds 1201 E. A. BELL, J. R. A. LYDDIARD, M. A. MALIK, M. MOTEVALLI, P. B. NUNN, P. O. O'BRIEN and K. P. W. C. PERERA

1*H*-Indole-3 acetonitrile glycosides from *Capparis spinosa* fruits 1205 İ. ÇALIŞ, A. KURUÜZÜM and P. RÜEDI

A high level of dihomogammalinolenic acid in brown alga *Sargassum pallidum* (Turn.) 1209 N. V. ZHUKOVA and V. I. SVETASHEV

Santalane and isocapherenane sesquiterpenoids from *Illicium tsangii* 1213 K.-S. NGO and G. D. BROWN

Norterpenoid and sesquiterpenoid glucosides from *Juniperus phoenicea* and *Galega officinalis* 1219 Y. CHAMPAVIER, G. COMTE, J. VERCAUTEREN, D. P. ALLAIS and A. J. CHUILA

A modified 6,7-secolabdane diterpenoid from *Clutia richardiana* 1225 I. MUHAMMAD, J. S. MOSSA, H. H. MIRZA and F. S. EL-FERALY

Triterpenoids from *Mangifera indica* 1229 V. Anjaneyulu, P. Satyanarayana, K. N. Viswanadham, V. G. Jyothi, K. N. Rao and P. Radhika

Phenanthrene and other aromatic constituents of *Bulbophyllium vaginatum* 1237 Y.-W. Leong, L. J. Harrison and A. D. Powell

6-Acylocoumarins from *Mesua racemosa* 1243 C. Morel, D. Guilet, J.-M. Oger, D. Séraphin, T. Sévenet, C. Wiart, A. H. A. Hadi, P. Richomme and J. Bruneton

Two novel prenylated flavones from the aerial parts of *Melicope micrococca* 1249 N. Sultana, T. G. Hartley and P. G. Waterman

Two novel dinitrogenous alkaloids from *Galanthus plicatus* subsp. *byzantinus* (Amaryllidaceae) 1255 N. Ünver, T. Gözler, N. Walch, B. Gözler and M. Hesse

Carbazole alkaloids from roots of *Glycosmis arborea* 1263 A. K. Chakravarty, T. Sarkar, K. Masuda and K. Shiojima

Number 8

Graphical Abstracts vi

Review Article Number 138

Constituents of the yew trees 1267 V. S. Parmar, A. Jha, K. S. Bisht, P. Taneja, S. K. Singh, A. Kumar, Poonam, R. Jain and C. E. Olsen

Growth and Metabolism

Purification and properties of a pyruvate carboligase from *Zea mays* cultured cells 1305 G. Forlani

NMR lipid profile of *Agaricus bisporus* 1311 P. M. A. Bonzom, A. Nicolaou, M. Zloh, W. Baldeo and W. A. Gibbons

Ecological Biochemistry

Phytochelatins and heavy metal tolerance 1323 I. Leopold, D. Günther, J. Schmidt and D. Neumann

Antifungal diene in leaves of various avocado cultivars 1329 R. M. Carman and P. N. Handley

Habenariol, a freshwater feeding deterrent from the aquatic orchid *Habenaria repens* (orchidaceae) 1333 D. M. Wilson, W. Fenical, M. Hay, N. Lindquist and R. Bolser

Production and toxicity of 2,3-dihydro-5-hydroxy-2-methyl-4H-1-benzopyran-4-one by *Phialophora gregata* 1337 L. E. Gray, H. W. Gardner, D. Weisleder and M. Leib

Biosynthesis

Mechanisms for elongation in the biosynthesis of fatty acid components of epicuticular waxes 1341 A. B. Kroumova and G. J. Wagner

Cell Culture and Biotechnology

Biotransformation of (*S*)-(−)- and (*R*)-(+)-limonene using *Solanum aviculare* and *Dioscorea deltoidea* plant cells 1347 T. Vaněk, I. Valterová and T. Vaisar

Plant Chemistry

Two oligosaccharides from *Marsdenia roylei* 1353 A. Kumar, A. Khare and N. K. Khare

Homologous long-chain δ-lactones in leaf cuticular waxes of *Cerinthe minor* 1359 R. Jetter and M. Riederer

Two picrotoxin derivatives from *Anamirta cocculus* 1365 S. K. Agarwal, S. S. Singh, S. Verma and S. Kumar

Lupane-triterpene glycosides from leaves of *Acanthopanax koreanum* 1369 S.-Y. Chang, C.-S. Yook and T. Nohara

A steryl ester from *Lepidium sativum* 1375 Saba, M. H. Mughal, M. Ali, M. Iqbal and P. S. Srivastava

Diastereomeric C-glycosyloxanthrones from *Picramnia antidesma* 1379 M. del R. Hernandez-Medel, C. O. Ramirez-Corzas, M. N. Rivera-Dominguez, J. Ramirez-Mendez, R. Santillan and S. Rojas-Lima

Epimers from the leaves of *Calophyllum inophyllum* 1385 M. S. Ali, S. Mahmud, S. Perveen, V. U. Ahmad and G. H. Rizwani

Malvin *Z*-chalcone: an unexpected new open cavity for the ferric cation	1391	F. George, P. Figueiredo and R. Brouillard
Novel pigments and copigmentation in the blue marguerite daisy	1395	S. J. Bloor
Prenylated flavonones from the twigs of *Dorstenia mannii*	1401	B. T. Ngadjui, E. Dongo, H. Tamboue, K. Fogue and B. M. Abegaz
Isoflavonoids and flavone glycosides from rhizomes of *Iris carthaliniae*	1407	S. F. Farag, E. Y. Backheet, N. A. El-Emary and M. Niwa
Alkaloids and other constituents from *Tribulus terrestris*	1411	T.-S. Wu, L.-S. Shi and S.-C. Kuo
A prenylated dihydroflavonol from *Mundulea suberosa*	1417	E. V. Rao, P. Sridhar, B. V. L. N. Rao and P. Ellaiah
Book Reviews		
Antinutrients and Phytochemicals in Food	1419	J. B. Harborne
Preparative Chromatography Techniques, Applications in Natural Product Isolation	1419	J. B. Harborne
Practical Polyphenolics: from Structure to Molecular Recognition and Physiological Action	1420	J. B. Harborne
Corrigenda and Errata		
Corrigendum to "Quercetagetin 6-*O*-*β*-D-glucopyranoside from *Tagetes Mandonii*"	1421	M. D'Agostino, F. de Simone, S. Piacente, C. Pizza and F. Senatore
Corrigendum to "Psoralen and other linear furanocoumarins as phytoalexins in *Glehnia littoralis*"	1423	T. Masuda, M. Takasugi and M. Anetai
Corrigendum to "Quercetrine-3′-sulphate from leaves of *Leea guinensis*"	1425	P. O. de Beck, M.-G. Dijoux, G. Cartier and A.-M. Mariotte
Erratum to "Distribution of ginkgolides and terpenoid biosynthetic activity in *Gingko biloba*"	1427	D. J. Carrier, T. A. van Beek, R. van der Heijden and R. Verpoorte
Erratum to "Dimeric tropane alkaloids from *Erythroxylum moonii*"	1429	A.-U. Rahman, K. F. Khattak, F. Nighat, M. Shabbir, K. D. Hemalal and L. M. Tillekeratne
Obituary	I	